RHODES HOMES ARIZONA, LLC
GOLDEN VALLEY RANCH
PHASE 1 MASS GRADING PLAN
COVER



DX.12 10 10 00.	REV. HO.	DESCRIPTION	DATIVAN SEA.	ATTROVAL:	DATE	. <u> </u>
DATE 10-18-05	11					
CHECKED BY SH/DB						The state of
DRAWN BY SA/RM						
SCALE (V) NONE						100
SCALE (H) NONE][

16. THE CONTRACTOR SHALL NOT GRADE ANY ARMY CORPS OF ENDINEERS (ACOE) 404 DESIGNATED WASHES UNTIL 404 PERMIT APPROVAL HAS BEEN GRANTED.

THE CONTRACTOR SHALL NOT GRADE ANY PARCELS WITH OUTSIDE PRIVATE OWNERSHIP JUTIL PERHIPSION ID GRADE HAS SPEN GRAVIED BY THE PROPERTY OWNER.

18. AL EXCAVATINA AND GRADING DEPARTUS. CONDUCTED MITHIN THE COUNTY LIFTS NEEDSTAND SHALL DOWN ALL DIST CONDICC PERMITS. 12. AN APPROVED, CRADING PLAN SHALL BE ON THE JOB SITE AT ALL THES, DEVIATION PROVETED FLAN MUST BE PRECEDED BY AN APPROVED PLAN REVISION.

DISCLAMEN KOTE

UNITY LOCATIONS SHOWN

RETRIN A PROPRIORATE

DOTHER PROPRIORATE

DOTHE

bed cathy background

May har way,
Call
before you

an rea DI 9
1-800-762-5348
(1-80-8788-7) before you Overhead

13. ALL REQUIRED TRAFFIC CONTROL DEWEES SHALL DOWNORM TO THE MANUAL ON UNIFORM TRAFFIC CONTROL DEWEES (MUTCO), LATEST EDITION.

EXCLET FOR THE WORK PREFORMED LINDER THE TERMS OF A FRANCISE, OR WORK PREFORMED AND THE COMPRACIONS OF AN EXCLEDING THE COMPRACIONS OF OR PORCE, PER PROSECT OF AN TALL WORK IS INSCRIPED AND TENDED BY ON QUARTER PROSECT OF STEPPINGENEES AND PROSECULATION OF THE PROSECULATION OF THE

THIS STIT OF PLANS TASK BERY BEYOND THIS COMPLANCE, WIT COUNTY REQUIRED TO ISSUANCE OF CHASTIS SHARED, CHASTAN SHALL NOT PREVIOUS THE COUNTY FROM REQUIRED CONNECTION OF EXCUSED THE COUNTY FROM REQUIRED CONNECTION OF EXAMOLOGY OF REAL TOWN OF THE COUNTY FROM THE COUNTY F HE COMPANDES SAME SERVINA À SERVIT-GE-MAY USE FERMIT FOR ANY WORK HE CONTRACTOR THE RESERVE THE RESERVE THE ANY OWER HE CHERCIPE DE CONTRACTOR ACTIVITÉES REPRESENTATION ACTIVITÉES PROBLÈMES À COUNTRACTOR ACTIVITÉES REPRESENTATION ACTIVITÉES NATION DE CHARACTOR SAME AND SERVICION ACTIVITÉES NATION PRESENTATION PRESEN MPROXIMENTS WILL NOT BE ACCEPTED UNTIL CERTIFIC RECKED DRAWNOS (AS-BUILTS), NOLUDING ALL TEST RESULTS, HAVE BEEN SUBAUTED AND ACCEPTED BY THE COUNTY. ALL MORE SHALL BE DOKE IN AGGORDANCE WITH MERKIE GOUNTY STANDAND SPECIFICATION OF STANDANDS THE COUNTY AND AGENT STANDANDS, UNICES DEVENOUS AS APPENDED BY THE COUNTY AND METER OF UNICES DEVENOUS DEVENOUS OF THE COUNTY AND METER AND ADMINISTRAND OF SUPERNOUNCE.

THE COMPRACTOR SHALL FOLLOW ALL BLUE STAKE LAWS AND NOTIFY BLUE STAKE (1—502—81)A(6—17), BEFORE DIGGING. ANY RELOCATION, MODIFICATION, EGT;, OF EXISTING UTILITIES AND/OR PUBLIC IMPROVIDENTS RECESSITATED BY PROPOSED DEVELOPMENT SHALL RESALT NO EXPENSE TO THE COUNTY. DRAMAGE WILL REMAIN IN ITS NATURAL STATE AND WILL NOT BE ALTERED. DISTURBED, OR OBSTRUCTED OTHER THAN AS SHOWN ON THIS DEVELOPMENT PLAN. all gradná seall compon to the uniform building code, as adoptes and momen by moment govern. A DODPHAN USE PERMIT AND MUSHED PLOOR ELEMATON CRATEGOATE ARE RECORDED FOR THE ALL FARCALS LOOKING WHILE THE FEMA DESIGNATED AREASE OF SPECIAL FULDOD HAZARD FOR THE 100-YEAR STORM. , ALL EXISTING STREET PAVEMENT CISTLIGED BY CONSTRUCTION SHALL BE REPLACED IN ACCOMPANCE WITH M.A.G. STANDARD DETAIL MD. 200 TREACHING AND BACKFILL SHALL MEET THE REQUIREMENTS OF ALG.
STWOMARD SPECIFICATION NO. 504. COMPACTION DEVISITES SHALL RE
95% FROM THE SURFACE TO 2' BELOW SURFACE:

WAREN SOLIS TO BE PROMISED FROM THE SIXT THE CONTRACTORS SHALL DESIGNATE THE COCKNING HERE THE FLUE HERE PROMISED STORY AND FROM THE FROM THE COCKNING OF THAT PROPERTY ALLOHAND THE PLACEMENT OF THE METERAL PROMISED OF THE METERAL PROMISED SHAPET TO THE APPROVABLE RECUIREMENTS OF THE CONCERNING LINESCOTTON. deleterious matéral as deemed ungutable by the soils engineer for use as sompacied file shall be excavated and removed from the site. 12. ALL SEMER SERVICE CONNECTIONS SHALL MEET THE REQUIREMENTS MALIG. STANDARD DETAIL NO. 440, TIPE: A. NOTE: SENER SERVICE CHOSSING OF WAYER JAMEN MITHIN THE RIGHT OF WAY MAY REQUIRE PROTECTION FER MAG STD. DET. 404. S. ALL MANHOLE TRAME AND COXER GRADE ADJUSTMENTS REQUIRED STANDARD DETAIL NO. 422 SEWER CLEANOUT SHALL MEET THE REQUIREMENTS OF M.A.G. STANDARD DETAIL NO. 441. ALL MANIMATES AND BRODS SAMPE COMMERCIDAD SAULT BY MANIMATES
CONTINUENT AS CONTINUENCE OF A MANIMATES
CONTINUENCE OF A MANIMATE OF A MANIMATES
AND A MANIMATES OF A MANI SHAPING OF ALL SENER MANHOLE BOTTOMS SHALL BE PER M.A.C. STANDARD SPECIFICATIONS NO. 628.33.

. UTILITY FATILITIES, SHOWN OF MOT SHOWN IN COMPILOT WITH THIS WORK SHALL BE RELOCATED BY THE CENTRACTOR AS REQUIRED. THIS ACTIVITY SHALL BE CONCIDENTED WITH THE OWNER OF THE UTILITY TO PROVENT ANY UNINCESSARY INTERPOPTION OF SERVICE. MINIMUM DEPTH OF GOVER TO THE TOP OF SEMER RIPE SHALL NOT BELESS THAN ${\bf S}$ FEET. SHEETWAYS SALL SE DONE IN ACCORDANCE WAS THE "PRESSME STANDARD SHEETWAYS CONTINUED AND THE MESS OF MACHINE STANDARD STAN

WATEN/SIEMS SEPARADO MOLIDING SIEMSE JIETS MITHIN
THE ROUT-LOS- MAY SHALL MED! THE REQUIREMENTS OF LINES SEPARATION
BETAILS AGAIN AND PRE-A-1982E (ALEST REVISION), SEPARATION
SHALL BE A LIMINATE OF 2 METRICAL AND PRE-ROCHITAL
CONTRACTOR SAULT ACQUIRE & PAY FOR ALL NECESSARY PERMITS. BUE STAKE

"-800-STAKE"

AT LEAST 2 MORKING DAYS II ADVANCE. THE CONTRACTOR SHALL
COOPERATE WITH THE CHILTY COMPARIES IN PROTECTIVE MIC WERKING
ARGUND THEIR OF SERVICE LINES.

CHIRT MAIN PRIC MOD SERVICE SHALL BE PLYCE SIDE-25, MEETING THE PEDINEDRISMS OF A STALL 3004 AND MAYOR SECOND AND MEETING THE SHALL BE IN ACCRECANCE WITH A STALL STANDARD SPECIFICATIONS DAY.

REQUIRED MAYNOLES SHALL BE CONSTRUCTED PER M.A.G. STANDARD DETAIL NO. 420.

THENDHING AND BADDYEL SHALL WEET THE REQUIREMENTS OF WAS STANDARD SECRETARING BOOK COMPACTION DENSITIES SHALL BE 95% FROM THE SURFACE TO 2" BELOW SURFACE. WATER/SEWER SEPARATION SHALL WEET THE REQUIREMENTS OF RESEARCH SEPARATION SEPARATION SHALL BE A MINIMUM OF 2" VERTICAL AND B SOCIEDATEL. water lines shall be disinfected in accordance with adject. Disintering building no. 8, θ

 Queb Stop with Eusenic Pipes Shall be constructed as required by M.A.G. Shandard Denail NO. 370, Tipe "A", as and due by the lity of knobary. - MIL PITINGS FOR WATER MANS SHALL MEET THE REQUIREMENTS OF M.A.G. BTANDARD SECTION 755;

10. ALL THRUST BLOCKING FOR WATER LINES SHALL MEE? THE REQUIREMENTS OF M.A.S. STANDARD DETAIL NO. 38D. ALL TAPPING SLEEKS, VALVER AND VALVE BOOKS ON WATERIAKS SHALL MEET THE REQUIREMENTS OF MAJAS SPECIFICATIONS SECTION 530, AND MAG, STANDARD DETAIL NO. 340. PAYMENT FOR CONCINENTIALS SHALL BE MADE ON THE BASIS OF UNIT PRICE, BO, IN THE CONTRIVENTORS PROPOSAL, ALL THESE CALLED FOR ON THE PLANS BUT NOT USEDD IN BIO 1705 SHALL BE CONSIDERED INCIDENTAL, SHOTE THE TEXT NEXT HE BIT THE BOTTON THE TAIR BOTTON NOTWINGTHALL THESE STRING, SALVICING MATERIAL, EXSTRON UNITED DOMESTICATION, ETC. ALL BLOCKING FOR WATER OATE VALVES SHALL MEET THE REQUIREMENTS OF MIAGE STANDARD DETAIL HO, JOI. THE PAYING CONTRACTOR SHALL BE ATSPONSHEE FOR THE AGUSTRENT AND PLASHENT OF CONORETE COLLARS, FRANCS, CONFREE, AND VALVE BOXES AS NECESSARY FOR A COMPLETE JUST AS APPROVED BY THE COUNTY ENGINEER.

17. ALL EXISTING STREET PAVEMENT DISTURBED BY CONSTRUCTION SHALL BE REPLACED BY ACCORDANCE WITH MALE, STANDARD DETAIL NO. 200-1. ALL PITTINGS AND VALVES SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURES PECCAMISTOLATIONS. ALL VALVES ARE TO BE PLUMB AND HAVE STRAIDHT ALIGNMENT. URITY FAULTIES, SHOWN US NOT SHOWN IN CONFLICT WITH THIS WORK, SMALL BE RELOCATED BY THE GENERAL CONTRACTION AS REQUIRED, THIS ACTIVITY SMALL BE COORDINATED WITH THE OWNER OF THE UTILITY TO PREVENT ANY UNKNECESSARY INTERRUPTION OF SERVICE. HATER MÁIN SHÁIL BE TESTED IN ACCORDANCE ATH MIA,O. SECTION 510—14, Ann in accordance with Mia.C. Section 619.14 for ductile han fire. WATER METER COVERS SHALL MEET THE REQUIREMENTS OF MAJO. STANDARD BETMLIND. 310, AND WATER METER REQUIREMENTS OF MAJO. STANDARD OFFIAL HD. 320. 20. THE CEMERAL CONTRACTOR SHALL SE REPONSIBLE FOR ALL MERT PRAFFIC CONTROL SKINS AND MARISMOS IN ACCORDANCE WITH THE LATEST EXPIRED OF THE MANUAL OF UNITION. TRAFFIC CONTROL ORDADS (MUTCO). THE LOCATION OF ALL WATER VALVES, FIRE HYDRAYTS, AND MANHOLES WIST AT ALL THATS DAYBRIAG CONSTRUCTION BE REFERENCED BY THE DON'TRACTOR AND WADE AVAILABLE TO THE COUNTY. 14. NO PARING CONSTRUCTION SHAFL OF STAFTED UNTIL ALL OTHERY UNICE. APPROVED UNDER THIS PROPOSED PARES AREA.
15. NAS COMMETED & APPROVED UNDER THIS PROPOSED PARES AREA.
APPROVED BY THE COUNTY ENGINEER. 18. EXCENSE STREET AND TRAFFIC SIGNS WILL BE MAINTAINED DUPING OWNERWAYDD AND RELOCATED BY THE CONTRACTOR AS DIRECTED BY THE PUBLIC MORKS DIRECTED. 16. UTILITY FACILITIES, SHOWN OR HOT SHOWN IN COMPUTET WITH THIS WORKSMALL BE RELICIAND BY THE GENERAL CONTRACTOR AS REQUIRED. THIS
ACTUATY SHALL BE CONSIDERATED WITH THE OWNER OF THE UTILITY BY
PREVENT ANY UNDECESSARY INTERPLETION OF SCREWE. I NO JUS SHALL RE CONSUDERE DOMPHEED UNIL CHERS, PANEMENTS AND STEMMUNE HAVE BEEN SMITH CHEMY OF ALL CHEM AND DEERES, AND SURPEY MONUMENTS ARE INSTALLED.

STORM WATER POLLUTION PREVENTION PLAN

WATES

LAG WARY SALL BE DONE IN ACCESSIVED. WHIT THE "WIFEGIN FINAL SALE BE DONE IN ACCESSIVED WHITE "WIFEGIN FINAL SALE SALE WAS CONSTRUCTION WHITE SAMPLED BETALE FOR FULLY WARPS CONSTRUCTION WHITE SAMPLED BETALE FOR FULLY WARPS CONSTRUCTION OF CONSTRUC THE (COATHING OF UTILITIES SPOOM IS BASING MADE AFFORMANT INFORMATION ANALIGHDE. THE LOAN HOUSE AS SHOWN ARE AFFORMANT OF COMMENCING BY SALLY OBJECT OF ANY COMMENCING BY SALLY OBJECT OBJECT OF ANY COMMENCING BY SALLY OBJECT OB

S. CONTRACTOR SHALL ACCURE & PAY FOR ALL NECESSARY PERMITS.

WATER SMAIL SHALL BE DID PIPE CLASS 15D, NEEDING THE REQUIREMENTS OF A WARA. C-90D. BLUE STAKE. 1-000-STAKE-IT
AT LEAST 2 WIDDRING DAYS IN ADDRAING THE CONTRACTOR SHALL
COOPERAGE WITH ALL UTILLY COMPANIES IN PROTECTING AND WIDDRING
ASSAUDT HER UTILL'S A SERVICE LIKES
ASSAUDTHER UTILL'S A SERVICE LIKES

WATER SERVICE MATERIAL SHALL MEET THE REQUIREMENTS OF MAKE STANDARDS PRECIFICATIONS SECTION 758.

CONTRACTOR SHALL REPLACE ANY INADEQUATE SUBGRADE MATERIAL WITH APPROPRIATE BACKFILL AS DIRECTED BY THE PROJECT ENGINEER POJOWAY DICAYATION SAMIL MEET THE REQUIREMENTS OF MAGA SPECIFICATION ZOST MAGE SHEATHCAN ZOST FOR WATERING AND MAGA STRUDARD SPECIFICATION ZOT FOR SLIPSBADE PREPARATION ALL BACKFILL PAYEDERT AND SLIFFAX REPLACEMENT SHALL BEET THE RECOINDERLYS OF MAKE, STANDARD BETALL NO. 2004—AND MAKE. STANDARD STEEDINGARDAY SECTION XXII. ALL TRENGRES SHALL MEET DEMA RECOINDERLYS.

8. FOR SEAL SHALL MEET W.A.G. STANDARDS SECTION 333.
9. CONCRETE CURB AND GUTTER SHALL MEET THE REQUIREMENTS OF MANG. STRANDARD DETAIL 220. ALL ASPHALT GONORETE PAVÉMENT SHALL MEET THE REQUIREMENTS OF M.A.G. STANDARD SECTION 321. A.A.L. STREET ACCREGATE BASE SHALL MEET THE REQUIREMENTS OF M.A.G. SECTION 410.

TO SIDEWALKS SHALL BE CONSTRUCTED AS REQUIRED BY M.A.G. STANDARD DECAIL NO.230 & SHALL CONFORM WITH M.A.G. SPECIFICATION 340. ALL POURED CONDRETE STRUCTURES SHALL MEET THE REQUIREMENTS OF M.A.C. STD SPECIFICATIONS, SECTION 505.

THE EXACT ROINT OF MATCHING TERMINATION AND OVERLAY, IF NECESSARY, SHALL BE DETERMINED IN THE RELD BY THE COUNTY ENSINEDRY OF AUTHORIZED REPRESENTATIVE.

ABBREVIATIONS

BITE CHADNO

ALL MORE SHALL BE DONE IN ADDIBIANCE WITH THE "UNKNOWN STANDARD SCHOOL TOWN SEE BRALLET WINDOW CONSTRUCTION "STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION" STANDARD AND DETAILS FOR PUBLIC WORKS CONSTRUCTION STANDARD AND DETAILS OF THE WARRISTON ADDITIONAL TOWN OF CONSTRUCTION OF CONSTRUCTION OF CONSTRUCTION OF THE PUBLIC WARRIST OF THE PUBLIC WARRIS ALL CRISITY REQUIREMENTS FOR STREETS SHALL WEET THE REDUIREMENTS OF MANG SPECIFICATION SOLID MANGE SPECIFICATION 507 FOR ALL WAITEN WID STREET TREACHES CAMPAIGN CENSITIES SHALL BE SER FROM THE SUPPLICE TO 2" UPLOW SURFACE EARCH LOCATION OF HINTES SELDIN IS BLISED HAVE BEEN BEACH ATE CONTRACTOR THE THICK HOLD AS SELDIN AND ARE APPROXIMATE CONTRACTOR AND AREA BASTING THE AREA BLISED AND AREA BASTING THE AREA BLISED AND AREA BASTING TO COMMENCE BEINT OF ANY STRUCTURE BY CALLING.

AT LEAST 2 WORKING DAYS III ADVANCE. THE CONTRACTOR SHALL DOMERSHE WIR THE UTILITY COMPANIES IN PROTECTING AND WORKING AROUND THOR LITIUTIES & SERVICE LINES. THENAN PLACED ZOOME

THE WAY PERSON OF THE PROPERTY STEEL USE WHEN AN

A PROPERTY STEEL AND A SECULAL FLACED WHEN AN

AREA MERSON OF THE PROPERTY STEEL USE WHEN AN

AREA MERSON OF THE AREA SECULAL FLACED WHEN AN

AREA MERSON OF THE AREA SECULATION OF THE AREA

STEEL OF THE MERSON OF THE 100 "SEM" STEMM SEE

TAN ONE BELLIAMENT LOOMINGS.

DATED APPEL, 2005 AND PREPARED BY:
STANLEY CONSULTANTS, INC.
9200 S. EASTERN AVE. SUITE 200
LES YEGAS NV 28119
(702) 389-3136

DRANACE REPORT ALL CONSTRUCTION SHALL CONTORN WITH THE SOILS REPORT PERFARED BY: AMERICAN SOILS DOUBLE SHALL THE SEPTEMBER OF PROJECT Now. 1950—GED PROJECT Now. 1950—GED

THE B NOTES


PHORESCALES AND ASSESSED AND ASSESSED ASSESSED ASSESSED ASSESSED ASSESSED AS A SECONDARY STATE OF THE ASSESSED ASSESSED AS A SECONDARY AS A SECONDA

A2874 FMCMI FMCMI

add savot to all elevations $< 500^\circ$ en these dramings to bet actual elevation. THE COMPRACTOR SHALL ISSUES ALL SITE CONDITIONS AND DMCNSCANS AND SHALL MORTY THE ENGINEER OF ALL DISCREPANCIES PRIOR TO THE COMMENCEMENT OF WORK.

 SEZ OFF-STE PROADMAY IMPROVEMENT PLANS BY STANLEY CONSULTANTS FOR PERMETER PROAD CRABING. 6. SEE DOLF COURSE PLAKES, BY TED ROGINSON FOR GOUR COURSE DRADING. 4. SEE LANDSCAPE PLANS FOR LANDSCAPING AND ONSITE IRRIGATION.

PRELIMINARY ISSUE FOR REVIEW NOT FOR CONSTRUCTION 10/18/05



RHODES HOMES ARIZONA, LLC GOLDEN VALLEY RANCH NOTES


2 of 94 SHEETS
SQ PROJECT#
18449 PHASE I MASS GRADING PLAN NOTES





DAJE 10-10-03	REV. HD.	DESCRIPTION	DATINÁM BOL	ATTROVAL:	DAE
DATE 10-18-05	1				
CHECKED BY DB/SH					
DRAWN BY SA/RM					
SCALE (V) NONE					
SCALE (H) NONE]				ļ


Case 09-14814-gwz Doc 1255-26 Entered 08/13/10 21:05:36 Page 4 of 28














CECULECHECK 10. AND NOTE: WHEN THE STATE OF THE STATE OF




>-					
		8		RHODES HOMES ARIZONA, LLC	,
	±20	, F	Uξ	GOLDEN VALLEY RANCH	
	KOJECT#	# SHEE	OJ 🗒	PHASE IMASS GRADING PLAN DETAILS	
		S.	J	MOHAVE COUNTY	ARIZONA





C'ALE (H) NONE][Region
CALE (V) NONE						
RAWN BY GA/RM						
HECKED BY SH/DB	<u> </u>					
ATE 10-18-05	HOV HAS	ракситан	biệ# Ann Ser	APP ROWN.	QATE .	10
	^					


Case 09-14814-gwz Doc 1255-26 Entered 08/13/10 21:05:36 Page 5 of 28












PRELIMINARY ISSUE FOR REVIEW
NOT FOR CONSTRUCTION 10-18-05

CINCTINCHINCAL NOTION
ALL CONSTRUCTION SHALL CONFIGURING HALL
SOLIS REPORT PREVAIED BY: MACRICIAN SOLIS
ROMERING, LIG.
NATEX: 10 SEPTEMBER OF
PROJECT, No.: 1080—280 RESIDENTIAN, ALUM CAP Z* 014, BET IN CONG. 88 FT, NORTHEAST OF THE SOUTH 1/4 CONNER OF SEC. 23, T. 21 M, BUB W, AND THE INTERSECTION OF SYMMERUM DE, AND HOPE RD., SYMPED: "SD. 24 1989 RLS (CMA)." BENCHMARK BENCHMARK # "SD 34" N.C.S.D. BLEVATION=, 2580, 24273, IFT (NAVI '88) MIRTH DOTATOR EAST — THE WEST UNK OF THE MORTHWEST QUARTERS (MM / M/s) OF SECTION QUA, TOMANING FOR MIRTH, RAMES OF WEST) QUARTER SOLICITION OF MIRTH MARKET OF THE METERS OF CONTRACT OF THE METERS O BASKS OF BEARWOOD STONE 1/4 COR 3/2 = (C.S.D. "SD 32" -TATTURE 3500555,5008576, LATTURE 3500555,5008576, LATTURE 3500555,5008576, LATTURE 3500555,5008576, LATITUDE 35'08'22,76034"N, LONGITUDE 114'09'21.5'7240"# (NAD '83) HEIGHT 2562,4639(Iff (NAVD'89)





CALE (H) NONE			:			Rent
CALE (V) NONE						
RAWN BY GA/RM						F 536
ECKED BY SH/DB						
VJE 10-18-05.	963V 1983	DEPCEMENTON	bijā Ann Ser	APPROVING	OM/E	1
						•

